



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***





PEDESTRIAN CASE SUMMARY NATIONAL ACCIDENT SAMPLING SYSTEM

75.00

PSU 12

CASE NO. 601P

TYPE OF ACCIDENT Car/Ped / Crossing Road Diagnally

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. Do not include any personal identifiers.)

vehicle one headed southbound in the first lake of a one land, one way street. Pedestrian running NE bound, 1 across street. The front of vehicle one contacted pedestrians night side. The pedestrian was knocked to the ground in front of vehicle one. The pedestrian come to rest just south of the posht of Impact with vehicle one. Vehicle one came to rest just south of the point of impack with pedectmon.


B. PEDESTRIAN PROFILE									
Pedestrian			Treatment/	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)					
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source		
01	11	M	Treated Released	Leg	Skin-other	1	Bumper		


Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severit

	C. VEHICLE PROFILE									
	Class		Most Severe Damage Based on Vehicle Inspection							
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description						
01	Intermediate	90' Ford Taurus	Front	Minor						

DO NOT SANITIZE THIS FORM

U.S. Department of Transportation National Highway Traffic Safety Administration







PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number		Case Numb	er-Stratum <u>6</u> ϕ \downarrow P
PEDESTRIAN ACCIDENT COI	LLISION DATA C	OLLECTION	SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	<u>-517</u>	north arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition		grade measurements for all applicable roadways
a) vehicle skid marks	Coefficient of Frid		scaled representations of the physical plant including:
b) pedestrian contacts with ground or object	Grade (v/h) Meas	surement	all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impa	d <u>0/122</u>	b) all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) between final res	st <u>4/172</u>	scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either.
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave	al Direction NW (diagonal path)) physical evidence, or
documentation of the physical plant including:	Vehicle Travel D	irection b) reconstructed accident dynamics
all road/foadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians,	Number of Trave	el Lanes	e e e e e e e e e e e e e e e e e e e
pavement markings, parked vehicles, poles, signs, etc.)			
查 b) all-traffic controls (e.g., lights, signs)			The state of the s
Reference Point: vhiity pole	e 🎓	Reference Line:	edye
Item		Distance and Direction from Reference Point	Distance and Direction from Reference Line
RP		/	.6E
Poi		5 Ons	S. ON W
FRP		55m 5 10m 5	5. Ø n W
Fence end		10 n 5	
:		,	
		•	
		·	standard comment of the

Item	Distance and Direction from Reference Point	Distance and Direction from Reference Line
		Hamilton (1994)

National Highway Traffic Safety Administration

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

1 Primary Sampling Unit Number 7 2	SPECIAL STUDIES - INDICATORS
1. Primary Sampling Unit Number	Objects (4) and analist study (CC45 CC40 below) that
2. Case Number - Stratum 6 9 1 P	Check () each special study (SS15-SS19 below) that has been completed; code 1 for the checked special
IDENTIFICATION	studies and 0 for the special studies not checked.
Number of General Vehicle	6SS15 Administrative Use0_
Forms Submitted <u>0 1</u>	7. <u>✓</u> SS16 Pedestrian Crash Data Study <u>1</u>
4. Date of Accident (Month,Day,Year) 9 6	8SS17 Impact Fires0_
5. Time of Accident $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$ $+$	9SS18 <u>0</u>
Code reported military time of accident.	10. SS19 0
NOTE: Midnight = 2400	10SS19 <u>0</u>
Unknown = 9999	NUMBER OF EVENTS
	11. Number of Recorded Events in This Accident

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate case.

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

PEDESTRIAN ACCIDENT EVENTS										
Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage				
12. <u>0</u> <u>1</u>	13. <u>0 1</u>	14. <u>0</u> <u>3</u>	15. <u>F</u>	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u>0</u>				

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety

Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

72 1. Primary Sampling Unit Number 10. Pedestrian's Weight Code actual weight to the nearest kilogram. 2. Case Number - Stratum <u>6 p L P</u> (999) Unknown ____ pounds X .4536 = ___ kilograms 3. Pedestrian Number 0 1 PEDESTRIAN'S CHARACTERISTICS PEDESTRIAN'S PRE-AVOIDANCE ACTIONS 11. Pedestrian Attitude 4. Pedestrian's Age Code actual age at time of accident. (1) Standing (00) Less than one year old (specify by month): (2) Crouching (3) Kneeling (97) 97 years and older PAR (4) Bending at waist (99) Unknown (8) Other (specify):_____ (9) Unknown 5. Pedestrian's Sex 12. Pedestrian Motion (1) Male PET PAR (0) Not moving (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (1) Walking slowly (4) Female - pregnant-2nd trimester (4th-6th month) (2) Walking rapidly (5) Female - pregnant-3rd trimester (7th-9th month) (3) Running or jogging * Per (6) Female - pregnant-term unknown (4) Hopping (9) Unknown (5) Skipping (6) Jumping 6. Pedestrian's Overall Height (7) Falling/stumbling or rising Code actual height to the nearest (8) Other (specify):_____ centimeter. (9) Unknown (999) Unknown ____ inches X 2.54 = ___ __ centimeters 13. Pedestrian's Action Relative to Vehicle (00) Stopped (01) Crossing road, straight 7. Pedestrian's Height - Ground to Knee (02) Crossing road, diagonally Code to the nearest (03) Moving in road, with traffic centimeter. (04) Moving in road, against traffic (999) Unknown (05) Off road, approaching road ____ inches X 2.54 = ___ centimeters (06) Off road, going away from road (07) Off road, moving parallel (08) Off road, crossing driveway 8. Pedestrian's Height - Ground to Hip (09) Off road, moving along driveway Code to the nearest (98) Other (specify): _____ centimeter. (99) Unknown (999) Unknown inches X 2.54 = ____ centimeters 14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to **Avoidance Actions** 9. Pedestrian's Height - Ground to Shoulder Facing vehicle (1) Code to the nearest Facing away (2) centimeter. (3) Left side to vehicle (999) Unknown Right side to vehicle (4) inches X 2.54 = ____ centimeters Other (specify): _____ (8) Unknown

PEDESTRIAN'S AVOIDANCE ACTIONS	18. Pedestrian's Arm Orientation
	at Initial Impact
15 Pedestrian's First Avoidance Actions QQ	(01) At sides
15. Pedestrian's First Avoidance Actions 1 1	(02) Folded across chest
(00) No avoidance actions	(03) Hands clasped behind back
(01) Stopped	(04) Hands on hips
(02) Accelerated pace	(05) Hands in pockets
(03) Ran away (along vehicle path)	
(04) Jumped	One or both arms:
(05) Turned toward vehicle	(06) Extended upward
, ,	(07) Extended to side
(06) Turned away from vehicle	(08) Extended to side (08) Extended forward bracing
(07) Dove or fell away	· , ,
	(09) Extended, holding object
Used hand(s) to :	(briefcase, suitcase, etc.)
(11) Vault corner of vehicle	(10) Holding object (young child,
(12) Vault onto vehicle	grocery bag, etc.) in arm(s)
(13) Brace against vehicle	(11) Holding object (young child, grocery
(14) Crouched and braced hands against vehicle	bag, etc.) on shoulder(s) or head
(98) Other (specify):	(98) Other (specify):
(99) Unknown	(99) Unknown
(65)	· ·
	19. Pedestrian's Leg Orientation
	at Initial Impact
DEDECTRIANIC ORIENTATION AT IMPACT	(01) Together
PEDESTRIAN'S ORIENTATION AT IMPACT	(02) Apart-laterally
	(03) Apart-right leg forward
	(04) Apart-left leg forward
	(05) Apart- forward leg unknown
16. Pedestrian's Head Orientation	(06) Left foot off the ground
at Initial Impact	
(1) To front	(07) Right foot off the ground
(2) To left	(08) Both feet off the ground
(3) To right	(98) Other (specify):
(4) Up	(99) Unknown
(1)	d Q
	20. Vehicle/Pedestrian's Interaction
(8) Other (specify):	(01) Carried by vehicle, wrapped position
(9) Unknown	(02) Carried by vehicle, slid to windshield
	(03) Carried by vehicle, position unknown
	(04) Passed over vehicle top
17. Pedestrian's Body (Chest) Orientation	(05) Thrown straight forward
at Initial Impact	(06) Thrown forward and left of vehicle
(1) Facing vehicle	(07) Thrown forward and right of vehicle
(2) Facing away	· · ·
(3) Left side to vehicle	(08) Knocked to pavement, forward
(4) Right side to vehicle	(09) Knocked to pavement, left of vehicle
(8) Other (specify):	(10) Knocked to pavement, right of vehicle
(9) Unknown	(11) Knocked to pavement, run over or
(6)	dragged by vehicle
	(12) Shunted to left (corner impacts only)
	(13) Shunted to right (corner impacts only)
	(14) Bumped or pushed aside
	(15) Snagged, rotated
	(16) Snagged, dragged by vehicle
	(17) Foot or legs run over
	(98) Other (specify):
	(99) Unknown
	(00)
	·

OFFICIAL RECORDS	INJURY CONSEQUENCES
21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown	25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):
Source: PAR	Nonfatal
23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown	(3) Hospitalization (4) Transported and released (5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify): (3) Specimen test given, results unknown or not obtained (9) Unknown	27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown
	28. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the pedestrian stayed in a hospital. (61) 61 days or more (99) Unknown
	29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown	34. 1st Medically Reported Cause of Death 35. 2nd Medically Reported Cause of Death 36. 3rd Medically Reported Cause of Death Code the Pedestrian Injury from line number(s) for the medically reported
(99) Unknown if injured 31. Was the Pedestrian Given Blood? (1) No - blood not given (2) Yes - blood given (specify units): (9) Unknown if blood given	injury(s) which reportedly contributed to this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured	(97) Other result (includes fatal ruled disease) (specify): (99) Unknown 37. Number of Recorded Injuries for This Pedestrian Code the actual number of injuries recorded for this pedestrian.
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD	S INCLUDED WITH INITIAL SUBMISSION? YES[]
UPDATE CANDIDATE?	NO[] YES[Y

Administration

U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

3. Pedestrian Number

0 1

2. Case Number - Stratum

1. Primary Sampling Unit Number

4. Blank


INJURY DATA


Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.

	AIS-90							Injury						
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth	
1st	5. <u>3</u>	6. <u>8</u>	7. <u>9</u>	8. <u>b 4</u>	9. <u>0 Z</u>	10. <u>【</u>	11./	12. <u>70 0</u>	13, <u>/</u>	14	15. <u>Z</u>	16	17	
2nd	18. 7	19}	205	21. <u>J</u>	22.02	- 23. <u>(</u> _	24	25. <u>7 D U</u>	26. 1	27	28	29. <u> </u>	30	
3rd	31	32.	33	34	35	36	37	38	39	40	41	42. <u> </u>	43	
4th	44.	45	46	47	48	49.	50	51	52	53	54	55.	56	
5th	57	58	59	60	61	62.	63	64:	65	66	67.	68	69	
6th	70	71.	72	73	74	75.	76	77	78	79	80.	81	82	
7th	83	84	85	86	87	88	89	90	91.	92	93	94	95	
8th	96	97	98	99	100	101	102	103	104	105	106	107	108	
9th	109	110	111,	112	113	114	115	116	117	118	119	120	121	
10th	122	123	124	125	126	127	128	129	130	131	132	133	134	

	PEDESTRIAN INJURY DATA											
Source of Injury Data	Body Region	Type of Anatomic Structure	AIS.90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th								-			-	— —
13th											-	-
14th 15th							-					- -
16th												— —
18th												_ _
20th								-				_
22nd 23rd						<u>-</u>						_ _
24th 25th						-		-	_			_

and the second of the second





Page

National Accident Sampling System-Crashworthiness Data System: Pedestrian Injury Form


INJURY SOURCE CONFIDENCE LEVEL TYPE OF DAMAGE **SOURCE OF INJURY DATA** (0) Injury not from vehicle contact Certain OFFICIAL. Probable No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (2) Hospital/medical records other than Large deformation DIRECT/INDIRECT INJURY emergency room (e.g., discharge Cracked, fractured, shattered summary) Direct contact injury Separated from vehicle Indirect contact injury Emergency room records only (including (2)Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: Injured, unknown source (4) Private physician, walk-in or emergency Unknown STRIKING PROFILE DAMAGE DEPTH Injury not from vehicle contact Flat-Narrow (<15 centimeters) Flat-Wide (> 15 centimeters) Injury not from vehicle contact UNOFFICIAL No residual damage (5) Lay coroner report Surface only damage Crush depth >0 to 2 centimeters Crush depth >2 to 5 centimeters Rounded (contoured) (6) E.M.S. personnel (3) (4) Rounded edge (7) Interviewee (5) (8) (4)Sharp edge (8) Other source (specify): Crush depth > 5 to 10 centimeters Other (specify): (5) Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Specific Anatomic Structure Abbreviated Injury Scale Spine (02) Cervical (04) Thoracic Whole Area (02) Skin - Abrasion (04) Skin - Contusion Minor injury Head Moderate injury (06) Lumbar (2)Face Serious injury Severe injury (3) (3) Neck (4) (5) (6) Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit numbers beginning with 02 (06) Skin - Laceration (08) Skin - Avulsion (4) (5) Thorax Critical injury Abdomen Spine Amputation Maximum (untreatable) **Upper Extremity** (20) Burn (7)injured, unknown severity Lower Extremity Unspecified (30) Crush Level of Injury (8) (40) Degloving **Aspect** (9) Injury - NFS Specific injuries assigned Type of Anatomic Structure consecutive two-digit beginning with 02. Right Left Trauma, other than mechanical numbers (2) Bilateral Whole Area Head - LOC (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 is assigned to an injury NFS as to (4) (5) Central Anterior (3) Nerves (6) (7) (8) (9) Posterior Organs (includes muscles/ (10) Concussion severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury NFS as to lesion or severity. ligaments) Superior Skeletal (includes joints) Head - LOC Inferior Unknown (6) Whole region **INJURY SOURCE** Wheels / tires 744 B pillar 700 Front bumper 790 Left front wheel / tire 791 Right front wheel / tire 701 Front lower valance/spoiler 745 C pillar 702 Front grille 746 D pillar 792 Left rear wheel / tire 703 Hood edge and/or trim 748 Other pillar (specify):_ 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): _ 750 Right side door surface 799 Unknown wheel / tire 705 Hood ornament (spring loaded) 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 753 Right side folding mirror 800 Front crossmember 708 Turn signal/parking lights 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 718 Other front or add on object (specify): 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission 758 Other right side object 805 Drive shaft Left Side Components (specify): 806 Catalytic converter 720 Front fender side surface 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 723 A2 pillar Back Components 760 Rear (back) bumper 809 Fuel tank 810 Rear suspension 724 B pillar 761 Tailgate 818 Other undercarriage component 725 C pillar 762 Hatchback, vertical surface 726 D pillar (specify): 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 820 Air scoop, deflector 730 Left side door surface 731 Left side door handle 821 Cellular or CB radio antenna Top Components 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 771 Hood surface reinforced by under hood 823 Fog lights 733 Left side folding mirror 734 Left side glazing forward of B pillar component 824 Luggage, ski, or bike rack 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):_ 773 Cowl area 826 Spare tire 736 Left side back fender or quarter panel 774 Wiper blade & mountings 827 Spotlight 737 Rear antenna 828 Other accessory (specify):_ 775 Windshield glazing 738 Other left side object (specify): 776 Front header 739 Unknown left side component Other Object or Vehicle in Environment 777 Roof surface 778 Backlight glazing 947 Ground Right Side Components 779 Rear header 948 Other object (specify): 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 959 Unknown object on contacting vehicle 781 Rear trunk lid 741 Front antenna 788 Other top component (specify): _ 997 Noncontact injury source 742 A1 pillar 789 Unknown top component 999 Unknown injury source 743 A2 pillar


OFFICIAL INJURY DATA — SKELETAL INJURIES Restrained? Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and No Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.) **Blood Alcohol Level** (mg/dl) BAL = ____ Glasgow Coma Scale Score GCSS = ____ Units of Blood Given Units = **Arterial Blood Gases** Ph = __.__ PCO₂ HCO₃ _____

200

OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





U.S. Department of Transportation National Highway Traffic Safety

PEDESTRIAN GENERAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY
OFFICIAL RECORDS
9. Police Reported Travel Speed <u>9</u> 9
Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph) (160) 159.5 kmph and above
(999) Unknown * Not on PAR
10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
in kmph (999) Unknown
25 mph X 1.6093 = 4 6.2 kmph
 11. Police Reported Alcohol Presence For Driver (0) No alcohol present (1) Yes alcohol present (7) Not reported (8) No driver present
(9) Unknown 12. Alcohol Test Result For Driver
Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given
(97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown
Source: PAR
13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers(70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

	VEHICLE WEIGHT ITEMS	RECONSTRUCTION DATA
15.	Vehicle Curb Weight Code weight to nearest 10 kilograms. (045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown	18. Impact Speed Nearest kmph (NOTE: 000 means greater than .5 kmph) (160) 159.5 kmph and above
16.	2,956 lbs X.4536 = 1,341 kgs Source: 90 Vehicle Cargo Weight	(999) Unknown 19. Accuracy Range of Impact Speed Estimate (0) No reconstruction (1) Less than 2 kmph (2) ≥ 2 kmph and ≤ 8 kmph (3) ≥ 9 kmph and ≤ 16 kmph (4) ≥ 17 kmph and ≤ 26 kmph (9) Unknown 20. Data Source of Impact Speed (0) No impact speed calculated (1) Zone center calculation (2) Police calculation
		(3) Driver/witness/police estimates PRECRASH DATA
	Vehicle Special Use (This Trip) (0) No special use (1) Taxi (2) Vehicle used as school bus (3) Vehicle used as other bus (4) Military (5) Police (6) Ambulance (7) Fire truck or car (8) Other (specify): (9) Unknown STOP - VARIABLES 18 THROUGH 20 ARE COMPLETED BY THE ZONE CENTER	21. Driver's Attention to Driving (Prior to Recognition of Critical Event) (1) Full attention to driving (2) Distracted by other occupant (3) Distracted by moving object in vehicle (4) Distracted by outside person, object, or event (5) Talking on cellular phone or CB radio Specify: (6) Sleeping or dozing while driving (8) Other (specify): (9) Unknown 22. Pre-Event Vehicle Movement (Prior to Recognition of Critical Event) (01) Going straight (02) Slowing or stopping in traffic lane (03) Starting in traffic lane (04) Stopped in traffic lane (05) Passing or overtaking another vehicle (06) Disabled or parked in travel lane (07) Leaving a parking position (08) Entering a parking position (09) Turning left (11) Making a U-turn (12) Backing up (other than for parking position) (13) Negotiating a curve (14) Changing lanes (15) Merging (16) Successful avoidance maneuver to a previous critical event (97) Other (specify): (98) No driver present (99) Unknown

actional Acoustic Camping Cycles	•
23. Critical Precrash Event <u>8 \$\psi\$</u>	(83) Pedalcyclist or other nonmotorist in roadway
This Vehicle Loss of Control Due To:	(specify):
(01) Blow out or flat tire	(84) Pedalcyclist or other nonmotorist approaching
(02) Stalled engine	roadway (specify):
(03) Disabling vehicle failure (e.g., wheel fell off)	(85) Pedalcyclist or other nonmotorist—unknown
(specify):	location (specify):
(04) Non-disabling vehicle problem (e.g., hood flew	Object or Animal
up) (specify):	(87) Animal in roadway
(05) Poor road conditions (puddle, pot hole, ice, etc.)	(88) Animal approaching roadway
(specify):	(89) Animal—unknown location
(06) Traveling too fast for conditions	(90) Object in roadway
(08) Other cause of control loss (specify):	(91) Object approaching roadway
	(92) Object—unknown location
(09) Unknown cause of control loss	(98) Other critical precrash event (specify):
This Vehicle Traveling	
(10) Over the lane line on left side of travel lane	(99) Unknown
(11) Over the lane line on right side of travel lane	A 2
(12) Off the edge of the road on the left side	24. Attempted Avoidance Maneuver
(13) Off the edge of the road on the right side	(00) No driver present
(14) End departure	(01) No avoidance actions
(15) Turning left at intersection	(02) Braking (no lockup)
(16) Turning right at intersection	(03) Braking (lockup)
(17) Crossing over (passing through) intersection	(04) Braking (lockup unknown)
(19) Unknown travel direction	(05) Releasing brakes
Other Motor Vehicle In Lane	(06) Steering left
(50) Stopped	(07) Steering right
(51) Traveling in same direction with lower speed	(08) Braking and steering left (09) Braking and steering right
(i.e., lower steady speed or decelerating)	(10) Accelerating
(52) Traveling in same direction with higher speed (53) Traveling in opposite direction •	(11) Accelerating and steering left
(54) In crossover	(12) Accelerating and steering right
(55) Backing	(98) Other action (specify):
(59) Unknown travel direction of other motor vehicle	(99) Unknown
in lane	2
Other Motor Vehicle Encroaching Into Lane	25. Precrash Stability After Avoidance Maneuver
(60) From adjacent lane (same direction) - over left	(0) No driver present
lane line	(1) No avoidance maneuver
(61) From adjacent lane (same direction) - over right	(2) Tracking
lane line	(3) Skidding longitudinally—rotation less than 30 degrees
(62) From opposite direction—over left lane line	(4) Skidding laterally—clockwise rotation
(63) From opposite direction—over right lane line	(5) Skidding laterally—counterclockwise rotation
(64) From parking lane	(8) Other vehicle loss-of-control (specify):
(65) From crossing street, turning into same direction	
(66) From crossing street, across path	(9) Precrash stability unknown
(67) From crossing street, turning into opposite	20 Research Directional Concessionals of
direction	26. Precrash Directional Consequences of
(68) From crossing street, intended path not known	Avoidance Maneuver (Corrective Action) (0) No driver present
(70) From driveway, turning into same direction	(0) No driver present (1) No avoidance maneuver
(71) From driveway, across path	(2) Vehicle stayed in travel lane where avoidance
(72) From driveway, turning into opposite direction	maneuver was initiated
(73) From driveway, intended path not known (74) From entrance to limited access highway	(3) Vehicle stayed on roadway but left travel lane
(78) Encroachment by other vehicle—details	where avoidance maneuver was initiated
unknown	(4) Vehicle stayed on roadway, not known if left
Pedestrian or Pedalcyclist, or Other Nonmotorist	travel lane where avoidance maneuver was
(80) Pedestrian in roadway	initiated
(81) Pedestrian approaching roadway	(5) Vehicle departed roadway (6) Avoidance maneuver initiated off roadway
(82) Pedestrian—unknown location	(6) Avoidance maneuver initiated off roadway (9) Directional consequences unknown
	(a) Shootional controductions and
	•

		ENVIRO	NME	NTA	AL DATA
27.	(0) (1) <i>Non-</i> (2) (3) (4)	tion to Junction Non-junction Interchange area Interchange Intersection Intersection-related Drive, alley access related Other non-interchange (specify):	ϕ	((; (; ()	. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown
28	(9)	Unknown type of non-interchange Unknown if interchange icway Flow	Ц	(Traffic Control Device (0) No traffic control(s) (1) Trafficway traffic control signal (not RR crossing)
20.	(1) (2) (3) (4)	Not physically divided (two way traffic) Divided trafficway - median strip without positive barrier Divided trafficway - median strip with positive barrier One way trafficway Unknown	+	(Regulatory or School Zone Sign (Not RR Crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR
29.	(1) (2) (3) (4) (5) (6) (7)	ber of Travel Lanes One Two Three Four Five Six Seven or more Unknown	+	35. T	controls (specify): (9) Unknown Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown
30.	(1) (2) (3)	lway Alignment Straight Curve right Curve left Unknown	+	(((5. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn
31.	(1) (2) (3) (4) (5)	lway Profile Level Uphill Grade (>2%) Downhill Grade (>2%) Hillcrest Sag Unknown	+	37. <i>A</i>	 (5) Dusk (9) Unknown Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet
32.	(1) (2) (3) (4) (5) (8)	Iway Surface Type Concrete Bituminous (asphalt) Brick or Block Slag, gravel or stone Dirt Other (specify):	<u>L</u>	((4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify): (9) Unknown

Administration

National Highway Traffic Safety

PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

3. Vehicle Number

0 1

2. Case Number - Stratum

<u>6 Ø I P</u>

VEHICLE IDENTIFICATION

VIN IFACP5 BU7 LG

Model Year

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

metal

PEV08 Hood Length

cm ~

PEV09 Hood Width-Forward Opening

cm

PEV10 Hood Width-Midway

cm 🗸

PEV11 Hood Width-Rear Opening

cm ~

PEV14 Front Bumper Cover Material

Plastic

PEV15 Front Bumper Reinforcement Material

Stee

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

cm 🗸

PEV17 Front Bumper-Top Height

cm 🗸

PEV18 Forward Hood Opening

cm ~

PEV19 Front Bumper Lead

cm /

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

cm 🗸


PEV23 Ground to Base of Windshield

cm 🗸 cm ~

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact

cm



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grees in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: 164 cm

PEDESTRIAN SIDE CONTACT W	ORK SHEET
PEV06 Hood Material	
PEV08 Hood Length	cm
PEV09 Hood Width-Forward Opening	cm
PEV10 Hood Width-Midway	
PEV11 Hood Width-Rear Opening	cm
PEVIT Hood Width-hear Opening	cm
VERTICAL MEASUREMENT	rs
PEV26 Ground Clearance	cm
PEV27 Side Bumper-Bottom Height	cm
PEV28 Side Bumper-Top Height	cm
PEV29 Centerline of Wheel	cm
PEV30 Top of Tire	cm
PEV31 Top of Wheel Well Opening	cm
PEV32 Bottom of A-Pillar at Windshield	cm
PEV33 Top of A-Pillar at Windshield	cm
PEV34 Top of Side View Mirror	cm
LATERAL MEASUREMENTS	
PEV35 C _L to A-Pillar at Bottom of Windshield)
PEV36 C _L to A-Pillar at Top of Windshield	cm
7	cm
PEV37 C _L to Maximum Side View Mirror Protrusion	cm
WRAP DISTANCES	
WHAT DISTANCES	
PEV38 Ground to Side/Top Transition	cm
PEV39 Ground to Hood Edge	cm
PEV40 Ground to Centerline of Hood (ORIGIN)	cm
PEV41 Ground to Head Contact	cm


ORIGINAL SPECIFICATIONS Whee1base inches $\times 2.54$ Overall Length inches $\times 2.54$ Maximum Width inches $\times 2.54$ Curb Weight pounds \times .4536 = inches x 2.54Average Track Front Overhang inches x 2.54Rear Overhang inches $\times 2.54$ Undeformed End Width inches $\times 2.54$ Engine Size: cyl./displ. 4 c y 1 x .001 CID x . 0164 =**INJURY SOURCE** FRONT Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 748 Other pillar (specify): 703 Hood edge and/or trim 793 Right rear wheel /tire 704 Hood ornament (fixed) 749 Right side roof rail 798 Other wheel / tire (specify): 705 Hood ornament (spring loaded) 750 Right side door surface 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front cross member 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension (specify):_ 755 Right side glazing rearward of B pillar 802 Oil pan 719 Unknown front object 756 Rear antenna 803 Exhaust system pipe 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 720 Front fender side surface (specify): 806 Catalytic converter 721 Front antenna 759 Unknown right side component 807 Muffler 722 A1 pillar 808 Floor pan 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 761 Tailgate 818 Other undercarriage component 726 D pillar 762 Hatchback, vertical surface (specify): 728 Other pillar 768 Other back component 819 Unknown undercarriage component (specify): (specify): 729 Left side roof rail 769 Unknown back component **Accessories** 730 Left side door surface 820 Air scoop, deflector 731 Left side door handle Top Components 821 Cellular or CB radio antenna 732 Left side mirror fixed housing 770 Hood surface 822 Emergency lights or bar 733 Left side folding mirror 771 Hood surface reinforced by under hood 823 Fog lights 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 735 Left side glazing rearward of B pillar 772 Front fender top surface 825 Cargo (specify):____ 736 Left side back fender or quarter panel 773 Cowi area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ 776 Front header (specify): 739 Unknown left side component 777 Roof surface Other Object or Vehicle in Environment 778 Backlight glazing 947 Ground 948 Other object (specify): Right Side Components 779 Rear header 740 Front fender side surface 949 Unknown object in environment 780 Hatchback 959 Unknown object on contacting vehicle 741 Front antenna 781 Rear trunk lid 742 A1 pillar 788 Other top component (specify): 997 Noncontact injury source

789 Unknown top component

999 Unknown injury source

743 A2 pillar

VEHICLE DAMAGE SKETCH FRONTAL IMPACT SEE PAGE 2



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: ____ cm

POINTS OF PEDESTRIAN CONTACT								
	PEDESTRIAN CONTACT WORKSHEET							
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN CENTIMETERS	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE #
5-6	hood	+24	+10 to +50 -10 to -50	φ	7	swipe mark	1 2 3 6	
1-2	Leod.	±2ø		ø	1	Swipe Marie		
7	٢٥٥٦	+33	+55	ϕ	/	scretch	1 2 3 9	<u>.</u>
3	7.00 C.	+48	+57	ø	1	scretch	1 2 3 6	
3	pood	+70	+4 ø	Ø	1	dint mark	1 2 3 1	경기 (개기) 11
Ø	700 A	+68	912	Ø	1	dist nerk		
Ч	Poory	+64	-5.0	Ф	Fond	hand print	1 2 3 📳	ăi C
G	l i cana Plate Ash	e. +112	+6 -	ð	144	echetales	D 2 3 8	
B	lisence piete bolder	+127	44-	Ф	leg	schetches	1 2 3 8	i l'
F	344 370 370	7	+10	Ď	149	bupken yelate	(D : 3/8)	
							1 2 3 9:	. 24
							1 2 3:4	
							1 2 3 9	
							1 2 3 9	
							1 2 3 9	
							1 2 3 3	
							1 2 3 9	
							1 2 3 8	
							1 2 3 9	
							1 2 1.93	
							1 2 3 9	e e de
							1 2 1 8	
							1 2 3 9.	e.
							2 1 1	
		A				,	1 2,379≆	

1 2 3 9

POINTS OF PEDESTRIAN CONTACT **CHRONOLOGICAL ORDER OF CONTACTS** COMPONENT LONGITUDINAL LATERAL CRUSH **CONFIDENCE LEVEL OF** CONTACTED LOCATION LOCATION SUSPECTED SUPPORTING PHYSICAL EVIDENCE CONTACT POINT CONTACT IN CODE (X) CENTIMETERS **BODY REGION** (Circle) 414 7 2 3 9 0 1 124 700 1020 70,00 (1) 2 2 9 +14 2 0 125 700 124 1 2 3 9 3 1 2 3 9 1 2 3 9 5 1 2 3 9 6 1 2 3 9 7 1 2 3 9 8 1 2 3 9 1 2 3 9 10 1 2 3 9 11 1 2 3 9 12 1 2 3 9 13 1 2 3 9 14 1 2 3 9 15 1 2 3 8 16 17 1 2 3 9 1 2 3 9 18 1 2 3 9 19 20 1 2 3 9 1 2 3 9 21 1 2 3 9 22 1 2 3 9 23 24 1 2 3 9

25

duonal Addition Camping Cystem Glashworthiness Data	Toystem: Tedestrian Exterior Vehicle Form Tage 7
VEHICLE DIMENSIONS	11. Hood Width Rear Opening
4. Original Wheelbase Z 6 9	Code to the
Code to the	nearest centimeter (210) 210 centimeters or more
nearest centimeter	(999) Unknown
(999) Unknown	
105 . $\frac{9}{100}$ inches X 2.54 = $\frac{269}{100}$ centimeters	
5. Original Average Track Width 1555	12. Hood/Fender Vertical/Lateral Crush From Pedestrian
Code to the	Pedestrian (0) Not damaged
nearest centimeter	(1) Surface scratching only, no residual crush
(185) 185 centimeters or more	(2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
6	(4) Severe crush (>7 centimeters)
	(8) Damage present, unknown if damage is from pedestrian impact
3	(9) Unknown
6. Hood Material	
(1) Plastic (2) Fiberglass	13. Windshield Contact Damage
(3) Steel	From Pedestrian Contact
(4) Aluminum	(0) Not contacted by pedestrian
(5) Stainless Steel	(1) Contacted by pedestrian - not damaged
(8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not damaged
1	(4) Unknown if contacted by pedestrian -
7. Hood Original	damaged
Equipment Manufacturer (OEM)	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood (2) OEM replacement	unknown if damaged
(3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
8. Hood Length	Front Vertical Measurements
Code to the	1
nearest centimeter	14. Front Bumper Cover Material
(180) 180 centimeters or more	(0) No front contact
(999) Unknown	(1) Plastic (2) Fibergless
	(2) Fiberglass (3) Rubber
<u> </u>	(4) Other (specify):
9. Hood Width Forward Opening 1 니 그	(9) Unknown
Code to the	•
nearest centimeter	15. Front Bumper Reinforcement Material
(210) 210 centimeters or more	(0) No front contact
(999) Unknown	(1) Steel
5. 4	(2) Aluminum
$\underline{55.9}$ inches X 2.54 = $\underline{142}$ centimeters	(3) Stainless Steel (4) Other (specify):
10. Hood Width Midway	(9) Unknown
Code to the nearest centimeter	16. Front Bumper-Bottom Height
(210) 210 centimeters or more	Code to the
(999) Unknown	nearest centimeter
(000) Chikhowh	1000) 11 (
	(000) No front contact
	(150) 150 centimeters or more

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown 2 \$\phi\$. \$\frac{2}{6}\$ inches X 2.54 = \$\frac{5}{3}\$ centimeters	Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 29.5 inches X 2.54 = 15 centimeters	Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown 1 1 code to the nearest centimeters
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
5 , <u>l</u> inches X 2.54 = <u>l</u> <u>3</u> centimeters	inches X 2.54 = centimeters
Front Wrap Distance Measurements	SIDE CONTACT DAMAGE Side Vertical Measurements
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown 3 2 . 6 inches X 2.54 = 8 3 centimeters 21. Ground to Front/Top Transition Point Code to the code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown 3 1 . 8 inches X 2.54 = 8 1 centimeters	26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters 27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown inches X 2.54 = centimeters
1	28 Side Rumper-Top Height

20	Centerline of Wheel ϕ	Side Lateral Measurements
20.	Code to the	_
	nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown	35. Centerline to A-Pillar at Bottom of Windshield (000) No side contact Code to the
	inches X 2.54 = centimeters	nearest centimeter (250) 250 centimeters or more (999) Unknown
30.	Top of Tire Code to the nearest centimeter	inches X 2.54 = centimeters
	(000) No side contact (200) 200 centimeters or more (999) Unknown	36. Centerline to A-Pillar at Top of Windshield Code to the
	inches X 2.54 = centimeters	nearest centimeter (000) No side contact (250) 250 centimeters or more
31.	Top of Wheel Well Opening Code to the nearest centimeter	(999) Unknowninches X 2.54 = centimeter
	(000) No side contact (250) 250 centimeters or more (999) Unknown	37. Centerline to Maximum Side View Mirror Protrusion
	inches X 2.54 = centimeters	Code to the nearest centimeter (000) No side contact
32.	Bottom of A-Pillar at Windshield Code to the nearest centimeter	(300) 300 centimeters or more (999) Unknown
	(000) No side contact (250) 250 centimeters or more (999) Unknown	inches X 2.54 = centimeter
	inches X 2.54 = centimeters	Side Wrap Distance Measurements
33.	Top of A-Pillar at Windshield Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more	38. Ground to Side/Top Transition Code to the nearest centimeter (000) No side contact (400) 400 centimeters or more (999) Unknown
	(999) Unknown inches X 2.54 = centimeters	inches X 2.54 = centimeters
34.	Top of Side View Mirror Code to the nearest centimeter (000) No side contact (300) 300 centimeters or more (999) Unknown	39. Ground to Hood Edge Code to the nearest centimeter (000) No side contact (500) 500 centimeters or more (999) Unknown inches X 2.54 = centimeters
l	inches X 2.54 = centimeters	inches X 2.54 = centimeters

40. Ground to Centerline of Hood Code to the nearest centimeter	$\phi \phi \phi$	
(000) No side contact (700) 700 centimeters or more (999) Unknown		
inches X 2.54 =	centimeters	
41. Ground to Head Contact Code to the nearest centimeter (000) No side contact (800) 800 centimeters or more	\$ \$ \$	
(998) No head contact		
(999) Unknown		
inches X 2.54 =	centimeters	
		,
		•



72601P00010012 369.0010000000000103F72000

72601P00010021 9.00 000000000111999999999999913024991410030809670342009715

72601P00010131 9.00 00000000038904021170011211

72601P00010231 9.00 00000000038904021170011211

72601P01000041 9.00 0000000009012017041FACP50U7LG 99904009670137000000

61110180022204111210011

PSU72 CASE 601P

CURRENT VERSION: 9.00

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

	96	
--	----	--

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	O	Y
Pedestrian Assessment	Ö	Ö	Ö	Ý
Pedestrian Injury	ŏ	Ŏ	Ō	Ÿ
Pedestrian General Vehicl	=	ŏ	ō	Y
Pedestrian Exterior Vehic		Ō	O	Υ
Total Inter Errors		o	o	
Total Case Errors	0	o	o	